How to edit the registry

Applies to:		
Platform	**OS version**	**WinPAC/ViewPAC utility version**
WP-8x3x/ WP-8x4x	All versions	All versions
WP-5000	All versions	All versions
VP-23W1/ VP-25W1	All versions	All versions
VP-4131	All versions	All versions

Tips & Warnings

⚠ *Editing the registry may result in unexpected errors.*

⚠ *After finishing the editing, refer to section 4 to save those modifications*


This article shows you how to edit the registry, how to add a new key and delete it; after you finish the editing, refer to section 4 to save those modifications.

The edit tool "**regedit.exe**" is located at

1. The "\System_Disk\Tools\RegistryEditor" folder on the WinPAC/ViewPAC device.

2. ftp://ftp.icpdas.com/pub/cd/winpac/napdos/wp-8x4x_ce50/system_disk/tools/registryeditor

## 1. Editing the registry.

Step1. Double click the regedit.exe icon.

Step2. Select the key or value you want to edit.

Step3. Double click the value you want to edit, enter the new value and then click "**OK**".


2. Adding a new sub key or value.

Step1. Go to the "Path" where you want to add a new sub key or value.

Step2. Click "**Edit**" → "**New**" on the menu and select an item you need.

Step3. Enter the key name.

Enter the key name.

Step4. Key in the value name and value data, and then click "OK".

Enter the value name.

Enter the value data.

3. Deleting a key or value.

Step1. Click the key or value you want to delete, and then click **"Edit"** → "**Delete**".

Step2. Click "**Yes**" to confirm deletion.

4. Saving the registry modification

Step1. Start the WinPAC/ViewPAC Utility, click "**File**" → "**Save**".

Step2. Click the "**Yes**" button.

Revision History

Revision	Date	Description
1.0.1	2013/08/06	NEW: Added support information for WP-5000 and VP-4131.
1.0.0	2010/02/12	Initial release