


WP-9x21-CE 7.0 OS 1.1.2.1 Release Notes

Release Date: 07/08/2021

Key Features:

Features	Supported	Description
Windows CE 7.0 Core OS	Yes	
OS Language	Yes	WP-9x21-ML: Multi-language <ul style="list-style-type: none">- English- German- Russian- French- Spanish- Italian- Korean- Simplified Chinese- Traditional Chinese
.NET Compact Framework 3.5	Yes	V3.5.7283.0 for Visual Studio .Net 2008
SQL CE 3.5	Yes	SQL CE 3.5 (3.5.5386.0)
FTP Server	Yes	
HTTP Server	Yes	
Telnet	Yes	
Printer	No	
Display Resolution	Yes	800 x 600, 1024 x 768
Touch Panel	Yes	Support for touch panels using the RS-232 and USB interfaces
Multiport Serial Communication Module  The maximum number of ports that can be used is 16. (i.e., 4slots * 4 ports per module = max. of 16ports)	Yes	Supported modules: <ul style="list-style-type: none">I-8112iW (RS-232 *2)I-8114W (RS-232 *4)I-8114iW (RS-232 *4)I-8142iW (RS-485 *2)I-8144iW (RS-485 *4)
Real Time Interrupt	Yes	Interrupt error offset±230µs
3G/4G dial function	Yes	

Software and Hardware Compatibility

Software		Hardware
OS	Eboot	V1.51
V1.1.2.1 [07/08/2021]	V1.3.4.2	Yes
V1.1.1.9 [12/24/2018]	V1.3.4.1	Yes
V1.1.1.8 [08/02/2018]	V1.3.4.1	Yes
V1.1.0.0 [08/30/2017]	V1.2.2.0	Yes
V1.0.3.1 [05/02/2017]	V1.3.3.0	Yes
V1.0.2.1 [07/14/2016]	V1.2.2.0	Yes
V1.0.1.7 [02/03/2016]	V1.2.2.0	Yes
V1.0.1.4 [12/23/2015]	V1.2.2.0	Yes

Table of Contents

WP-9x21-CE7 OS Version 1.1.2.1 - Release Notes [07/08/2021]4

WP-9x21-CE7 OS Version 1.1.2.1 - Release Notes [07/08/2021]

Abstract

Adds driver support the I-8144iW/I-8114iW new hardware.

New Features

- Adds driver support the I-8144iW V2.4/I-8114iW V1.4.

Eboot 1.3.4.2 [03/10/2020]

- Adds support change the boot-load VGA display refresh rate according to the settings in the OS.

Software and Hardware Compatibility

Software		Hardware
OS	Eboot	V1.51
V1.1.2.1 [07/08/2021]	V1.3.4.2	Yes

PAC Utility and PACSDK

- PACSDK DLL Version 4.5.0.3 (Released on 03/15/2021)
- PAC Utility Version 1.2.2.6 (Released on 03/15/2021)