

Quick Start for MQ-7200M

Aug. 2016, Version 1.0.0

This Quick Start will provide information needed to get started with MQ-7200M. Please also consult the User Manual for detailed information on the setup and use of MQ-7200M.

What's In the Box?



<page-header><text><text><text><text><text><section-header><image><text><text><text>

MQ-7200M Module

Quick Start

Technical Support

• MQ-7200M User Manual

http://ftp.icpdas.com/pub/cd/mq-7200m/document/

• MQ-7200M Website

http://www.icpdas.com/root/product/solutions/remote_io/mqtt

io/mq-7200m_introduction.html

• ICP DAS Website

http://www.icpdas.com/

Connecting to Network, PC and Power

The MQ-7200M is equipped with an RJ-45 Ethernet port for connection to an Ethernet hub/switch and PC





Step 1 : Get the MiniOS7 Utility

The MiniOS7 Utility can be obtained from web site:

http://www.icpdas.com/download/minios7.htm

Step 2 : Follow the prompts to complete the installation



After the installation has been completed, a new shortcut for MiniOS7 Utility will be created on the desktop.



3 Assigning a New IP Address

The MQ-7200M comes with a default IP address; therefore, you must first assign a valid IP address for your network.

Item	Default
IP Address	192.168.255.1
Subnet Mask	255.255.0.0
Gateway	192.168.0.1

Step 1 : Run the MiniOS7 Utility

Double-click the MiniOS7 Utility shortcut

on your desktop.



Step 2 : Find out your MQ-7200M on the network

After pressing F12 or clicking on the "Search" option on the "Connection" menu, the MiniOS7 starts to search all MiniOS7 modules on the network, and the search result will be listed on the pop up MiniOS7 Scan dialog box.



🚵 MiniOS7 Scan									
Bearch Options	D onnect	Dear IP sett	ing <u>H</u> elp	Exit					
Type		IP/Port	Name		Alias	Mask	Gateway	MAC	DHCP
TCP BroadCast		192.168.255.1	MQ-7255M			255.255.0.0	192.168.0.1	00:0d:e0:64:ff:fe	0
Search done.									

Step 3 : Highlight your module, and then click on the "IP setting" on the toolbar

🚵 MiniOS7 Scan							
Search Options Con	nect Clear IP set		n Sait				
Туре	IP/Port	Name	Alias M	lask	Gateway	MAC	DHCP
TCP BroadCast	192.168.255.1	MQ-7255M		5.0.0	192.168.0.1	00:0d:e0:64:ff:fe	0
Search done.							
			Lie seam	راكس			

Step 4 : Assign a new IP address and then click on the "Set" button

🚵 IP Setting	
Recommend Settings	Step 5 : Choose "Yes" button
IP: 10.1.112.117	
Mask: 255.255.0.0	Confirm
Gateway: 10.1.0.254	IP setting success.
Alias: ×	Lo you want to leave IP setting dialog!
DHCP	<u>Y</u> es <u>N</u> o
⊙ Disable	
Set Cancel	



Your browser must support Adobe Flash Player and have it enabled in order to use the MQ-7200M web interface.

If you do not have it installed, please go to the following website and install it.



The Adobe Flash Player Download Center :

http://get.adobe.com/flashplayer/

5 Logging in to the MQ-7200M

Step 1 : Open a browser

Please use a standard internet browser to view the MQ-7200M webpage, such as Mozilla Firefox or Internet Explorer...etc.

Step 2 : Enter the IP address for the MQ-7200M

Input the IP address for the MQ-7200M and then press "Enter".

<i>6</i> MQ-720	0 Web page - Windows Internet Explor	er	
00	- @ 10.1.112.117		¥ 4
🚖 🏟	🖉 MQ-7200 Web page		

If you haven't set a valid IP address for the MQ-7200M, please refer to "**3. Assigning a New IP Address**" to configure it.



Step 4 : Welcome to MQ-7200M web site

🜈 MQ-7200 Web page - Window	Internet Explorer 📃 🗖 🔀
🕞 🕞 👻 🛃 http://10.1.11	.117) 💌 🐓 🗙 mystartsearch 🖉 🔹
🔆 🎄 🍘 MQ-7200 Web pag	🐴 🔹 🗟 - 🖶 😨 Page - 🎯 Tools - 🎽
ICP DAS http://www.icpdas.com	
Overview Configuration	MQ-7255M
Basic Settings	An Ethernet module that is equipped with 8 digital inputs and 8 digital outputs.
VO Settings	MAC Address: 00:0D:E0:64:FF:6B
NOT	Firmware Version: 1.0.0 (Jul. 21, 2016)
Matt	I/O Version: 1.00
Web HMI	Ethernet Version: 1.28 (May. 20, 2015)
	Web Server Version: 2.01.1 (Feb. 26, 2016)
	OS Version: 2.3.2 (Apr. 13, 2015)
Downloading picture http://10.1.112	117/menu.png 📢 100% 💌